Geotechnical Testing Journal
Table of Contents, Volume 8
1985

No. 1, March

Measurement of Axial Strains in Triaxial Tests on London Clay—LEANDRO DE MOURA COSTA FILHO 3
Small Cone Penetrometer Tests and Piezocone Tests in Laboratory Consolidated Clays—MARCIO S. S. ALMEIDA AND RICHARD H. G. PARRY 14
A Direct Shear Machine for Testing for Testing Rock Joints—JOHN A. FRANKLIN 25
A Low-Cost Ring Dynamometer for Monitoring the Performance of Roof Bolts—TADEUSZ CYRUL 30
Technical Note: Improved Rectangular Hyperbola Method for the Determination of Coefficient of Consolidation—A. SRIDHARAN AND K. PRAKASH 37
Technical Note: Prediction of Pore-Water Pressure Buildup During Undrained Resonant Column Testing of Virgin Sand Specimens—RILEY M. CHUNG AND FELIX Y. YOKEL 41
Technical Note: Alternative Test Method for Ensuring Full Saturation in Triaxial Samples—PAUL STRACHAN 43
Testing Forum 47

No. 2, June

Soil Freezing Response: Influence of Test Conditions—ELENA Y. McCABE AND ROGER J. KETTLE 49
Development and Evaluation of Ultrasonic Piezolectric Transducers for the Determination Young's Modulus of Triaxially Loaded Rock Cores—DOMINIC F. HOWARTH 59
Measurement of Volumetric and Linear Shrinkage on Black Cotton Soil—KANAKAPURA S. SUBBA RAO AND GIFFERD C. SATYADAS 66
A Direct Tensile Loading Apparatus Combined with a Cubical Test Cell for Testing Rocks and Concrete—ROGER W. MEIER, HON-YIM KO, AND STEIN STURE 71
Suggested Method: Axial Pile Loading Test—Part 1: Static Loading—ISSMFE SUBCOMMITTEE ON FIELD AND LABORATORY TESTING 79
Technical Note: The Effect of Clay Content on Liquid Limit from a Fall Cone and the British Cup Device—MUNIRAM BUDHU 91
Technical Note: An Underwater Instrument for Determining Bearing Capacity of Shallow Marine Sediments—RONALD C. CIRCE 96
Testing Forum 99

No. 3, September

Determinations and Uses of Strain Distributions in Sand Samples—ROBIN K. S. WONG AND J. ROBIN F. ARTHUR 101
Liquid Limit of Soil Mixtures—PUVVADE V. SIVAPULLAIAH AND ASURI SRIDHARNA 111
A Scanning Device to Quantify Joint Surface Roughness—THOMAS S. K. LAM AND IAN W. JOHNSTON 117
Pore-Pressure Response of the Piezocone Penetrometer—NADAR S. RAD AND MEHMET T. TUMAY 125
Technical Note: Resonant-Column Apparatus for Coarse-Grained Materials—CHRISTIAN HEINIGER AND JOST A. STUDER 132
Technical Note: Effect of Grain Characteristics on Liquefaction Potential—In Search of Standard Sand for Cyclic Strength—ISAO ISHIBASHI 137
Technical Note: Geotextile Filters for a Large Liquefaction Tank—ROMAN D. HRYCIW, JEAN-MICHAEL CORNET, AND CHARLES H. DOWDING 140
Discussion of "The Theory of One-Dimensional Consolidation of Saturated Clays: III. Existing Testing Procedures and Analyses" by D. Znidarcic, P. Croce, V. Pane, H.-Y. Ko, H. W. Olsen, and R. L. Schiffman—A. K. PARKIN 143
Closure to Discussion by A. K. Parkin—R. L. SCHIFFMAN 143
Testing Forum 145

No. 4, December

Use of Time Series in Geotechnical Data Analysis—TEIN H. WU AND ABDULNASSER EL-JANDULI 151
Sand Density Measurements for Laboratory Studies—CHARLES H. TRAUTMANN, FRED H. KULHAWY, AND THOMAS D. O'RUORKE 159
Repeated Load Triaxial Testing of Frozen and Thawed Soils—DAVID M. COLE, GLENN DURRELL, AND EDWIN CHAMBERLAIN 166
Electro-Servo Control System for Thermomechanical Properties Testing—LARRY R. MYER 171
A New Automatic Volume Change Monitoring Device—NADAR S. RAD AND G. WAYNE CLOUGH 179
Evaluation of Adhesion in Chemically Grouted Geomaterials—RAYMOND J. KRIZEK AND CUMARASWAMY VIPULANANDAN 184
ASTM Geotextile Committee Testing Update—L. DAVID SUITS, ROBERT G. CARROLL, JR., AND BARRY R. CHRISTOPHER 191
Technical Note: Prediction of the Preconsolidation Pressure and Recompression Index of Soils—TUMKUR S. NAGARAJ AND BASAVAPATNA R. SRINIVASA MURTHY 199
Testing Forum 203

Geotechnical Testing Journal
Index to Volume 8
1985

Number	Month of Issue	Pages
1	March	1–48
2	June	49–100
3	September	101–150
4	December	151–214

A

Adhesion: Evaluation of adhesion in chemically grouted geomaterials (Krizek and Vipulanandan), Dec., 184

Almeida, M. S. S. and Parry, R. H. G.: Small cone penetrometer tests and piezocone tests in laboratory consolidation clays, March, 14

Arthur, J. R. F.: *see* Wong, R. K. S. and Arthur, J. R. F.

B

Bearing capacities: An underwater instrument for determining bearing capacity of shallow marine sediments (Circé), June, 96

Budhu, M.: The effect of clay content on liquid limit from a fall cone and the British cup device, June, 91

C

Carbonates: An underwater instrument for determining bearing capacity of shallow marine sediments (Circé), June, 96

Carroll, R. G., Jr.: *see* Suits, L. D, Carroll, R. G., Jr., and Christopher, B. R.

Chamberlain, E.: *see* Cole, D. M., Durrell, G., and Chamberlain, E.

Chemical grouts: Evaluation of adhesion in chemically grouted geomaterials (Krizek and Vipulanandan), Dec., 184

Christopher, B. R.: *see* Suits, L. D., Carroll, R. G., Jr., and Christopher, B. R.

Chung, R. M. and Yokel, F. Y.: Prediction of pore-water pressure buildup during undrained resonant column testing of virgin sand specimens, March, 41

Circé, R. C.: An underwater instrument for determining bearing capacity of shallow marine sediments, June, 96

Clays

Discussion of "The Theory of One-Dimensional Consolidation of Saturated Clays: III. Existing Testing Procedures and Analyses" by D. Znidarcic, P. Croce, V. Pane, H.-Y. Ko, H. W. Olsen, and R. L. Schiffman (Parkin), Sept., 143

The effect of clay content on liquid limit from a fall cone and the British cup device (Budhu), June, 91

Improved rectangular hyperbola method for the determination of coefficient of consolidation (Sridharan and Prakash), March, 37

Liquid limit of soil mixtures (Sivapullaiah and Sridharan), Sept., 111

Small cone penetrometer tests and piezocone tests in laboratory consolidated clays (Almeida and Parry), March, 14

Clough, G. W.: *see* Rad, N. S. and Clough, G. W.

Cole, D. M.: Repeated load triaxial testing of frozen and thawed soils, Dec., 166

Computers: Electro-servo control system for thermomechanical properties testing (Myer), Dec., 171

Concrete: A direct tensile loading apparatus combined with a cubical test cell for testing rocks and concrete (Meier, Ko, and Sture), June, 71

Cone penetrometer: Small cone penetrometer tests and piezocone tests in laboratory consolidated clays (Almeida and Parry), March, 14

Consolidation coefficient: Improved rectangular hyperbola method for the determination of coefficient of consolidation (Sridharan and Prakash), March, 37

Consolidation rate: Discussion of "The Theory of One-Dimensional Consolidation of Saturated Clays: III. Existing Testing Procedures and Analyses" by D. Znidarcic, P. Croce, V. Pane, H.-Y. Ko, H. W. Olsen, and R. L. Schiffman (Parkin), Sept., 143

Cornet, J.-M.: *see* Hryciw, R. D., Cornet, J.-M., and Dowding, C. H.

Costa Filho, L. de M.: Measurement of axial strains in triaxial tests on London clay, March, 3

Cyrul, T.: A low-cost ring dynamometer for monitoring the performance of roof bolts, March, 30

D

Deformation

A low-cost ring dynamometer for monitoring the performance of roof bolts (Cyrul), March, 30

Determinations and uses of strain distributions in sand samples (Wong and Arthur), Sept., 101

Deformation modulus: Measurement of axial strains in triaxial tests on London clay (Costa Filho), March, 3

Density tests: Sand density measurements for laboratory studies (Trautmann, Kulhawy, and O'Rourke), Dec., 159

Dial gages: A low-cost ring dynamometer for monitoring the performance of roof bolts (Cyrul), March, 30

Direct shear tests: A direct shear machine for testing rock joints (Franklin), March, 25

Dowding, C. H.: *see* Hryciw, R. D., Cornet, J.-M., and Dowding, C. H.

Drained shear tests: Determinations and uses of strain distributions in sand samples (Wong and Arthur), Sept., 101

Durell, G.: *see* Cole, D. M., Durell, G., and Chamberlain, E.

Dynamics: Resonant-column apparatus for coarse-grained materials (Heiniger and Studer), Sept., 132

Dynamometers: A low-cost ring dynamometer for monitoring the performance of roof bolts (Cyrul), March, 30

E

Earthquakes: Resonant-column apparatus for coarse-grained materials (Heiniger and Studer), Sept., 132

Elastic modulus: Resonant-column apparatus for coarse-grained materials (Heiniger and Studer), Sept., 132

El-Jandali, A.: *see* Wu, T. H. and El-Jandali

Errors: Sand density measurements for laboratory studies (Trautmann, Kulhawy, and O'Rourke), Dec., 159

F

Field tests: Use of time series in geotechnical data analysis (Wu and El-Jandali), Dec., 151

Filters

Geotextile filters for a large liquefaction tank (Hryciw, Cornet, and Dowding), Sept., 140

Pore-pressure response of the piezocone penetrometer (Rad and Tumay), Sept., 125

Franklin, J. A.: A direct shear machine for testing rock joints, March, 25

Freezing: Soil freezing response: influence of test conditions (McCabe and Kettle), June, 49

Frost heave: Soil freezing response: influence of test conditions (McCabe and Kettle), June, 49

Frozen soils: Repeated load triaxial testing of frozen and thawed soils (Cole, Durrell, and Chamberlain), Dec., 166

G-H

Geotextiles: ASTM geotextile committee testing update (Suits, Carroll, and Christopher), Dec., 191

Heiniger, C. and Studer, J. A.: Resonant-column apparatus for coarse-grained materials, Sept., 132

Hetrogeneity: Determinations and uses of strain distributions in sand samples (Wong and Arthur), Sept., 101

Howarth, D. F.: Development and evaluation of ultrasonic piezoelectric transducers for the determination of dynamic Young' modulus of triaxially loaded rock cores, June, 59

Hryciw, R. D., Cornet, J.-M., and Dowding, C. H.: Geotextile filters for a large liquefaction tank, Sept., 140

Hydraulic conductivity: Pore-pressure response of the piezocone penetrometer (Rad and Tumay), Sept., 125

I

Instrumentation: Sand density measurements for laboratory studies (Trautmann, Kulhawy, and O'Rourke), Dec., 159

Ishibashi, I.: Effect of grain characteristics on liquefaction potential—in search of standard sand for cyclic strength, Sept., 137

ISSMFE Subcommittee on Field and Laboratory Testing: Axial pile loading test—Part 1: static loading, June, 79

J-K

Johnston, I. W.: *see* Lam, T. S. K. and Johnston, I. W.

Joints: A scanning device to quantify joint surface roughness (Lam and Johnston), Sept., 117

Kettle, R. J.: *see* McCabe, E. Y. and Kettle, R. J.

Ko, H.-Y.: *see* Meier, R. W., Ko, H.-Y., and Sture, S.

Krizek, R. J. and Vipulanandan, C.: Evaluation of adhesion in chemically grouted geomaterials, Dec., 184

Kulhawy, F. H.: *see* Trautmann, C. H., Kulhawy, F. H., and O'Rourke, T. D.

L

Laboratory tests
- A direct shear machine for testing rock joints (Franklin), March, 25
- Alternative test method for ensuring full saturation in triaxial samples (Strachan), March, 43
- Measurement of volumetric and linear shrinkage on black cotton soil (Subba Rao and Satyadas), June, 66
- A new automatic volume change monitoring device (Rad and Clough), Dec., 179
- Pore-pressure response of the piezocone penetrometer (Rad and Tumay), Sept., 125
- Use of Time Series in geotechnical data analysis (Wu and El-Jandule), Dec., 151

Lam, T. S. K. and Johnston, I. W.: A scanning device to quantify joint surface roughness, Sept., 117

Liquefaction
- Effect of grain characteristics on liquefaction potential—in search of standard sand for cyclic strength (Ishibashi), Sept., 137
- Geotextile filters for a large liquefaction tank (Hryciw, Cornet, and Dowding), Sept., 140

Liquid limit
- The effect of clay content on liquid limit from a fall cone and the British cup device (Budhu), June, 91
- Liquid limit of soil mixtures (Sivapullaiah and Sridharan), Sept., 111

Loading distribution: Axial pile loading test—Part 1: static loading (ISSMFE), June, 79

Load tests: Axial pile loading test—Part 1: static loading (ISSMFE), June, 79

M

Marine geology: An underwater instrument for determining bearing capacity of shallow marine sediments (Circé), June, 96

McCabe, E. Y. and Kettle, R. J.: Soil freezing response: influence of test conditions, June, 49

Meier, R. W., Ko, H.-Y., and Sture, S., : A direct tensile loading apparatus combined with a cubical test cell for testing rocks and concrete, June, 71

Murthy, B. R. S.: *see* Nagaraj, T. S. and Murthy, B. R. S.

Myer, L. R.: Electro-servo control system for thermomechanical properties testing, Dec., 171

N-O

Nagaraj, T. S. and Murthy, B. R. S.: Prediction of the preconsolidation pressure and recompression index soils, Dec., 199

O'Rourke, T. D.: *see* Trautmann, C. H., Kulhawy, F. H., and O'Rourke, T. D.

P

Parkin, A. K.: Discussion of "The Theory of One-Dimensional Consolidation of Saturated Clays: III. Existing Testing Procedures and Analyses" by D. Znidarcic, P. Croce, V. Pane, H.-Y. Ko, H. W. Olsen, and R. L. Schiffman, Sept., 143

Parry, R. H. G.: *see* Almeida, M. S. S. and Parry, R. H. G.

Piezoelectric effects: Development and evaluation of ultrasonic piezoelectric transducers for the determination of dynamic Young's modulus of triaxially loaded rock cores (Howarth), June, 59

Plasticity index: Liquid limit of soil mixtures (Sivapullaiah and Sridharan), Sept., 111

Pore pressures
- A new automatic volume change monitoring device (Rad and Clough), Dec., 179
- Small cone penetrometer tests and piezocone tests in laboratory consolidated clays (Almeida and Parry), March, 14

Pore-water pressures
- Effect of grain characteristics on liquefaction potential—in search of standard sand for cyclic strength (Ishibashi), Sept., 137
- Prediction of pore-water pressure buildup during undrained resonant column testing of virgin sand specimens (Chung and Yokel), March, 41

Prakash, K.: *see* Sridharan, A. and Prakash, K.

Precompression pressure: Prediction of the preconsolidation pressure and recompression index of soils (Nagaraj and Murthy), Dec., 199

R

Rad, N. S. and Clough, G. W.: A new automatic volume change monitoring device, Dec., 179

Rad, N. S. and Tumay, M. T.: Pore-pressure response of the piezocone penetrometer, Sept., 125

Recompression: Prediction of the preconsolidation pressure and recompression index of soils (Nagaraj and Murthy), Dec., 199

Rocks
- Development and evaluation of ultrasonic piezoelectric transducers for the determination of dynamic Young' modulus of triaxially loaded rock cores (Howarth), June, 59
- A direct shear machine for testing rock joints (Franklin), March, 25
- A direct tensile loading apparatus combined with a cubical test cell for testing rocks and concrete (Meier, Ko, and Sture), June, 71
- Electro-servo control system for thermomechanical properties testing (Myer), Dec., 171
- Evaluation of adhesion in chemically grouted geomaterials (Krizek and Vipulanandan), Dec., 184
- A scanning device to quantify joint surface roughness (Lam and Johnston), Sept., 117

S

Sands
- Effect of grain characteristics on liquefaction potential—in search of standard sand for cyclic strength (Ishibashi), 137
- Geotextile filters for a large liquefaction tank (Hryciw, Cornet, and Dowding), Sept., 140
- Prediction of pore-water pressures buildup during undrained resonant column testing of virgin sand specimens (Chung and Yokel), March, 41

Satyadas, G. C.: *see* Subba Rao, K. S. and Satyadas, G. C.

Schiffman, R. L.: Closure to Discussion by Parkin, A. K., Sept., 143

Shear strain: Prediction of pore-water pressure buildup during undrained resonant column testing of virgin sand specimens (Chung and Yokel), March, 41

Shear strength
- The Effect of clay content on liquid limit from a fall cone and the British cup device (Budhu), June, 91
- A scanning device to quantify joint surface roughness (Lam and Johnston), Sept., 117

Shrinkage: Measurement of volumetric and linear shrinkage on black cotton soil (Subba Rao and Satyadas), June, 66
Sivapullaiah, P. V. and Sridharan, A.: Liquid limit of soil mixtures, Sept., 111
Smoltczyk, U.: Axial pile loading test—Part 1: static loading, June, 79
Soil tests
Alternative test method for ensuring full saturation in triaxial samples (Strachan), March, 43
Improved rectangular hyperbola method for the determination of coefficient of consolidation (Sridharan and Prakash), March, 37
Measurement of axial strains in triaxial tests on London clay (Costa Filho), March, 3
Measurement of volumetric and linear shrinkage on black cotton soil (Subba Rao and Satyadas), June, 66
A new automatic volume change monitoring device (Rad and Clough), Dec., 179
Prediction of the preconsolidation pressure and recompression index of soils (Nagaraj and Murthy), Dec., 199
Soils
Discussion of "The Theory of One-Dimensional Consolidation of Saturated Clays: III. Existing Testing Procedures and Analyses" by D. Znidarcic, P. Croce, V. Pane, H.-Y. Ko, H. W. Olsen, and R. L. Schiffman (Parkin), Sept., 143
Soil freezing response: Influence of test conditions (McCabe and Kettle), June, 49
Sridharan, A.: *see* Sivapullaiah, P. V. and Sridharan, A.
Sridharan, A. and Prakash, K.: Improved rectangular hyperbola method for the determination of coefficient of consolidation, March, 37
Standards: ASTM geotextile committee testing update (Suits, Carroll, and Christopher), Dec., 191
Static pile bearing capacity: Axial pile loading test—Part 1: static loading (ISSMFE), June, 79
Strachan, P.: Alternative test method for ensuring full saturation in triaxial samples, March, 43
Studer, J. A.: *see* Heiniger, C. and Studer, J. A.
Sture, S.: *see* Meier, R. W., Ko, H.-Y., and Sture, S.
Subba Rao, K. S. and Satyadas, G. C.: Measurement of volumetric and linear shrinkage on black cotton soil, June, 66
Suits, L. D., Carroll, R. G., Jr., and Christopher, B. R. : ASTM geotextile committee testing update, Dec., 191

T

Tensile strength: ASTM geotextile committee testing update (Suits, Carroll, and Christopher), Dec., 191
Tensile stress: A direct tensile loading apparatus combined with a cubical test cell for testing rocks and concrete (Meier, Ko, and Sture), June, 71
Testing machines: Electro-servo control system for thermomechanical properties testing (Myer), Dec., 171
Thawed soils: Repeated load triaxial testing of frozen and thawed soils (Cole, Durell, and Chamberlain), Dec., 166
Trautmann, C. H., Kulhawy, F. H., and O'Rourke, T. D.: Sand density measurements for laboratory studies, Dec., 159
Triaxial tests
Alternative test method for ensuring full saturation in triaxial samples (Strachan), March, 43
Development and evaluation of ultrasonic piezoelectric transducers for the determination of dynamic Young's modulus of triaxially loaded rock cores (Howarth), June, 59
Measurement of axial strains in triaxial tests on London clay (Costa Filho), March, 3
Repeated load triaxial testing of frozen and thawed soils (Cole, Durell, and Chamberlain), Dec., 166
Tumay, M. T.: *see* Rad, N. S. and Tumay, M. T.

U-Z

Unconfined compression tests: Use of time series in geotechnical data analysis (Wu and El-Jandali), Dec., 151
Vipulanandan, C.: *see* Krizek, R. J. and Vipulanandan, C.
Wong, R. K. S. and Arthur, J. R. F.: Determinations and uses of strain distributions in sand samples, Sept., 101
Wu, T. H. and El-Jandali, A.: Use of Time Series in Geotechnical Data Analysis, Dec., 151
Yokel, F. Y.: *see* Chung, R. M. and Yokel, F. Y.